

```

<?xml version="1.0" ?>
- <xsd:schema xmlns:xsd="http://www.w3.org/2001/XMLSchema"
  xmlns:wf="http://www.wfmc.org/wfxml/2.0/wfxml20.xsd"
  xmlns:as="http://www.oasis-open.org/asap/0.9/asap.xsd"
  targetNamespace="http://www.wfmc.org/wfxml/2.0/wfxml20.xsd"
  elementFormDefault="qualified">
<xsd:import namespace="http://www.oasis-open.org/asap/0.9/asap.xsd"
  schemaLocation="http://docs.oasis-open.org/asap/0.9/asap.xsd" />
- <xsd:annotation>
<xsd:documentation
  xml:lang="en">=====
  = WfXML.XSD
  ===== DRAFT
  Original 2005.02.15, Chi-Tsai Yang Revised 2005.02.25 Sameer Pradhan Removed
  redundant definitions</xsd:documentation>
</xsd:annotation>
- <xsd:simpleType name="PortTypes">
- <xsd:restriction base="xsd:string">
  <xsd:enumeration value="Instance" />
  <xsd:enumeration value="Factory" />
  <xsd:enumeration value="Observer" />
  <xsd:enumeration value="Activity" />
  <xsd:enumeration value="ServiceRegistry" />
  </xsd:restriction>
</xsd:simpleType>
- <xsd:element name="processDefinitionType">
- <xsd:complexType>
- <xsd:sequence>
  <xsd:element name="ProcessLanguage" type="xsd:string" />
- <xsd:element name="Definition">
- <xsd:complexType>
- <xsd:sequence>
  <xsd:any namespace="##any" processContents="lax" minOccurs="0"
    maxOccurs="unbounded" />
  </xsd:sequence>
</xsd:complexType>
</xsd:element>
</xsd:sequence>
</xsd:complexType>
</xsd:element>
- <!--
  properties =====
  -->
- <xsd:group name="serviceRegistryPropertiesGroup">
- <xsd:sequence>
  <xsd:element name="Key" type="xsd:anyURI" />
  <xsd:element name="Name" type="xsd:string" />
  <xsd:element name="Description" type="xsd:string" />
  <xsd:element name="Vesion" type="xsd:string" />
  <xsd:element name="Status" type="xsd:string" />

```

```

    </xsd:sequence>
  </xsd:group>
- <xsd:group name="activityPropertiesGroup">
- <xsd:sequence>
  <xsd:element name="Key" type="xsd:anyURI" />
  <xsd:element name="State" type="as:stateType" />
  <xsd:element name="Name" type="xsd:string" />
  <xsd:element name="Description" type="xsd:string" />
- <xsd:element name="ValidStates">
- <xsd:complexType>
- <xsd:sequence>
  <xsd:element name="ValidState" type="as:stateType" minOccurs="0"
    maxOccurs="unbounded" />
  </xsd:sequence>
  </xsd:complexType>
  </xsd:element>
  <xsd:element name="InstanceKey" type="xsd:anyURI" />
  <xsd:element name="RemoteInstance" type="xsd:anyURI" />
  <xsd:element name="StartedDate" type="xsd:dateTime" />
  <xsd:element name="DueDate" type="xsd:dateTime" />
  <xsd:element name="LastModified" type="xsd:dateTime" />
  </xsd:sequence>
  </xsd:group>
- <!--
  messages =====
  -->
- <xsd:element name="GetDefinitionRq">
- <xsd:complexType>
- <xsd:sequence>
  <xsd:element name="ProcessLanguage" type="xsd:string" />
  </xsd:sequence>
  </xsd:complexType>
  </xsd:element>
- <xsd:element name="GetDefinitionRs">
- <xsd:complexType>
- <xsd:sequence>
  <xsd:any namespace="##any" processContents="lax" minOccurs="0"
    maxOccurs="unbounded" />
  </xsd:sequence>
  </xsd:complexType>
  </xsd:element>
- <!--
  (2) WfXML20 p.14
  -->
- <xsd:element name="NewDefinitionRq">
- <xsd:complexType>
- <xsd:sequence>
  <xsd:element ref="wf:processDefinitionType" />
  </xsd:sequence>
  </xsd:complexType>

```

```

    </xsd:element>
- <xsd:element name="NewDefinitionRs">
- <xsd:complexType>
- <xsd:sequence>
  <xsd:any namespace="##any" processContents="lax" minOccurs="0"
    maxOccurs="unbounded" />
  </xsd:sequence>
</xsd:complexType>
</xsd:element>
- <xsd:element name="SetDefinitionRq">
- <xsd:complexType>
- <xsd:sequence>
  <xsd:element ref="wf:processDefinitionType" />
  </xsd:sequence>
</xsd:complexType>
</xsd:element>
- <xsd:element name="SetDefinitionRs">
- <xsd:complexType>
- <xsd:sequence>
  <xsd:any namespace="##any" processContents="lax" minOccurs="0"
    maxOccurs="unbounded" />
  </xsd:sequence>
</xsd:complexType>
</xsd:element>
  <xsd:element name="ListDefinitionsRq" />
- <xsd:element name="ListDefinitionsRs">
- <xsd:complexType>
- <xsd:sequence>
  <xsd:element ref="wf:DefinitionInfo" minOccurs="0" />
  </xsd:sequence>
</xsd:complexType>
</xsd:element>
- <xsd:element name="DefinitionInfo">
- <xsd:complexType>
- <xsd:sequence>
  <xsd:element name="DefinitionKey" type="xsd:string" />
  <xsd:element name="Name" type="xsd:string" minOccurs="0" />
  <xsd:element name="Description" type="xsd:string" minOccurs="0" />
  <xsd:element name="Version" type="xsd:string" minOccurs="0" />
  <xsd:element name="Status" type="xsd:string" minOccurs="0" />
  </xsd:sequence>
</xsd:complexType>
</xsd:element>
  <xsd:element name="ListActivitiesRq" />
- <xsd:element name="ListActivitiesRs">
- <xsd:complexType>
- <xsd:sequence>
  <xsd:element ref="wf:ActivityInfo" minOccurs="0" />
  </xsd:sequence>

```

```
    </xsd:complexType>
  </xsd:element>
- <xsd:element name="ActivityInfo">
- <xsd:complexType>
- <xsd:sequence>
  <xsd:element name="ActivityKey" type="xsd:anyURI" />
  <xsd:element name="Name" type="xsd:string" minOccurs="0" />
  <xsd:element name="Description" type="xsd:string" minOccurs="0" />
  <xsd:element name="Assignee" type="xsd:string" minOccurs="0"
    maxOccurs="unbounded" />
  </xsd:sequence>
</xsd:complexType>
</xsd:element>
- <xsd:element name="CompleteActivityRq">
- <xsd:complexType>
- <xsd:sequence>
  <xsd:element name="Option" type="xsd:string" />
  </xsd:sequence>
</xsd:complexType>
</xsd:element>
<xsd:element name="CompleteActivityRs" />
</xsd:schema>
```